

according to Regulation (EC) No 1907/2006

Formic acid 80%, 100 ml

Print date: 14.04.2015 Product code: 9991058 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Formic acid 80%, 100 ml

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

### 1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

**1.4. Emergency telephone** +49 (0)681 302-71232

number:

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: C - Corrosive

R phrases: Flammable. Causes burns.

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 3 Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Flammable liquid and vapour.

Causes severe skin burns and eye damage.

# 2.2. Label elements

# Hazardous components which must be listed on the label

Formic acid ... %

Signal word: Danger

Pictograms: GHS02-GHS05



according to Regulation (EC) No 1907/2006

### Formic acid 80%, 100 ml

Print date: 14.04.2015 Product code: 9991058 Page 2 of 8





#### **Hazard statements**

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

P310

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-579-1	Formic acid %	80 - < 85 %
64-18-6	C - Corrosive R35	
607-001-00-0	Skin Corr. 1A; H314	

Full text of R-, H- and EUH-phrases: see section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air.

# After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Potential hazards: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

## Formic acid 80%, 100 ml

Print date: 14.04.2015 Product code: 9991058 Page 3 of 8

### Suitable extinguishing media

Water. Carbon dioxide (CO2). Foam. Extinguishing powder.

### 5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking.

### Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-18-6	Formic acid	5	9.6		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe



according to Regulation (EC) No 1907/2006

## Formic acid 80%, 100 ml

Print date: 14.04.2015 Product code: 9991058 Page 4 of 8

gas/fumes/vapour/spray.

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

#### Eve/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

### Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

#### Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

## **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: colourless

Odour: No data available

Test method

pH-Value (at 20 °C): 2,2

Changes in the physical state

Melting point:8 °CInitial boiling point and boiling range:100 °CSublimation point:No data availableSoftening point:No data availableFlash point:68 °C

**Flammability** 

Solid: No data available Gas: No data available Lower explosion limits: 18 vol. % Upper explosion limits: 57 vol. % Ignition temperature: No data available

**Auto-ignition temperature** 

Solid: No data available
Gas: No data available
Vapour pressure: 42,00 hPa

(at 20 °C)

Vapour pressure: 169,99 hPa

(at 50 °C)

Density: 1,2 g/cm³
Water solubility: No data available
Partition coefficient: -0,54



according to Regulation (EC) No 1907/2006

Formic acid	80%	. 100	ml
-------------	-----	-------	----

Print date: 14.04.2015 Product code: 9991058 Page 5 of 8

Viscosity / dynamic:

Viscosity / kinematic:

No data available

No data available

No data available

Vapour density:

1,59

Evaporation rate:

No data available

No data available

No data available

Solvent separation test:

No data available

No data available

9.2. Other information

Solid content: No data available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

#### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

### 10.5. Incompatible materials

Oxidizing agents, strong.

## 10.6. Hazardous decomposition products

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

Toxicological data are not available.

### **Acute toxicity**

Toxicological data are not available.

#### Irritation and corrosivity

after ingestion: Irritant and corrosive effects. Potential hazards: Stomach perforation.

### Sensitising effects

No data available

## Severe effects after repeated or prolonged exposure

No data available

## Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

#### Specific effects in experiment on an animal

No data available

### Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

## **Practical experience**

#### Observations relevant to classification

No data available



according to Regulation (EC) No 1907/2006

## Formic acid 80%, 100 ml

Print date: 14.04.2015 Product code: 9991058 Page 6 of 8

### **SECTION 12: Ecological information**

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
64-18-6	Formic acid %					
	Acute fish toxicity	LC50	46 - 100 mg/l	96 h	Leuciscus idus	
	Acute algae toxicity	ErC50	27 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50	34,2 mg/l	48 h	Daphnia magna	

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-18-6	Formic acid %	-0,54

#### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

No data available

# 12.6. Other adverse effects

No data available

#### **Further information**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Advice on disposal

Dispose of waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

# Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

Classified as hazardous waste.

### Waste disposal number of contaminated packaging

of laboratory chemicals

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

# Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.



according to Regulation (EC) No 1907/2006

### Formic acid 80%, 100 ml

Print date: 14.04.2015 Product code: 9991058 Page 7 of 8

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:UN 341214.2. UN proper shipping name:FORMIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C3Limited quantity:1 LTransport category:2Hazard No:80Tunnel restriction code:E

### Other applicable information (land transport)

E2

### Inland waterways transport (ADN)

14.1. UN number:UN 341214.2. UN proper shipping name:FORMIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C3Limited quantity:1 L

## Other applicable information (inland waterways transport)

E2

# Marine transport (IMDG)

14.1. UN number:UN 341214.2. UN proper shipping name:FORMIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LEmS:F-A, S-B

## Other applicable information (marine transport)

E2

# Air transport (ICAO)

14.1. UN number:UN 341214.2. UN proper shipping name:FORMIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Limited quantity Passenger:0.5 L

IATA-packing instructions - Passenger: 851
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855





according to Regulation (EC) No 1907/2006

Formic acid 80%, 100 ml

Print date: 14.04.2015 Product code: 9991058 Page 8 of 8

IATA-max. quantity - Cargo: 30 L

Other applicable information (air transport)

E2 : Y840

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

2004/42/EC (VOC): 80 %

**Additional information** 

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

### **SECTION 16: Other information**

## Relevant R-phrases (Number and full text)

35 Causes severe burns.

### Relevant H- and EUH-phrases (Number and full text)

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)