

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Chlorolime, 100 g**

Print date: 14.04.2015

Product code: 9991232

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Chlorolime, 100 g

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Laboratory chemicals

**1.3. Details of the supplier of the safety data sheet****Seller**

Company name: CONATEX-DIDACTIC Lehrmittel GmbH  
Street: Im Forstgarten 1  
Place: D-66459 Kirkel  
Internet: www.conatex.com

**Supplier**

Company name: Carbolution Chemicals GmbH  
Street: Im Stadtwald, Gebäude A1.2  
Place: D-66123 Saarbrücken  
Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232  
e-mail: michael.bauer@carbolution-chemicals.de  
Internet: www.carbolution-chemicals.de

**1.4. Emergency telephone number:** +49 (0)681 302-71232**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC**

Indications of danger: C - Corrosive, Xn - Harmful, N - Dangerous for the environment  
R phrases:  
Harmful if swallowed.  
Causes burns.  
Very toxic to aquatic organisms.

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard categories:  
Skin corrosion/irritation: Skin Corr. 1B  
Serious eye damage/eye irritation: Eye Dam. 1  
Hazardous to the aquatic environment: Aquatic Acute 1  
Hazard Statements:  
Causes severe skin burns and eye damage.  
Very toxic to aquatic life.

**2.2. Label elements****Hazardous components which must be listed on the label**

calcium hypochlorite  
Calcium hydroxide

Signal word: Danger

Pictograms: GHS05-GHS09

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Chlorolime, 100 g

Print date: 14.04.2015

Product code: 9991232

Page 2 of 9



#### Hazard statements

- H314 Causes severe skin burns and eye damage.  
H400 Very toxic to aquatic life.

#### Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P501 Dispose of contents/container to ....

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
231-908-7	calcium hypochlorite	35 - < 40 %
7778-54-3	O - Oxidizing, C - Corrosive, Xn - Harmful, N - Dangerous for the environment R8-34-22-31-50	
017-012-00-7	Ox. Sol. 2, Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 10); H272 H302 H314 H400 EUH031	
233-140-8	calcium chloride	30 - < 35 %
10043-52-4	Xi - Irritant R36	
017-013-00-2	Eye Irrit. 2; H319	
215-137-3	Calcium hydroxide	10 - < 15 %
1305-62-0	Xi - Irritant R37/38-41	
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335	

Full text of R-, H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### After inhalation

Provide fresh air.

##### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Chlorolime, 100 g**

Print date: 14.04.2015

Product code: 9991232

Page 3 of 9

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Potential hazards: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**5.2. Special hazards arising from the substance or mixture**

The product itself does not burn.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid generation of dust. Do not breathe dust.

**Advice on protection against fire and explosion**

Only use the material in places where open light, fire and other flammable sources can be kept away.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Chlorolime, 100 g

Print date: 14.04.2015

Product code: 9991232

Page 4 of 9

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1305-62-0	Calcium hydroxide	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### 8.2. Exposure controls

##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

##### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

##### Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

##### Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

##### Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: solid  
 Colour: colourless  
 Odour: No data available

#### Test method

pH-Value: No data available

##### Changes in the physical state

Initial boiling point and boiling range: No data available  
 Sublimation point: No data available  
 Softening point: No data available  
 Flash point: No data available

##### Flammability

Solid: No data available  
 Gas: No data available

Lower explosion limits: No data available

Upper explosion limits: No data available

Ignition temperature: No data available

##### Auto-ignition temperature

Solid: No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Chlorolime, 100 g

Print date: 14.04.2015

Product code: 9991232

Page 5 of 9

Gas:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	No data available
Water solubility:	No data available
Partition coefficient:	No data available
Viscosity / dynamic:	No data available
Viscosity / kinematic:	No data available
Flow time:	No data available
Vapour density:	No data available
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available

#### 9.2. Other information

Solid content:	No data available
----------------	-------------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available

#### 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Oxidizing agents, strong.

#### 10.6. Hazardous decomposition products

No data available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Toxicokinetics, metabolism and distribution

Toxicological data are not available.

##### Acute toxicity

Acute oral toxicity.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
7778-54-3	calcium hypochlorite				
	oral	LD50	850 mg/kg	Ratte	

##### Irritation and corrosivity

Causes severe skin burns and eye damage. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

##### Sensitising effects

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Chlorolime, 100 g

Print date: 14.04.2015

Product code: 9991232

Page 6 of 9

#### Severe effects after repeated or prolonged exposure

No data available

#### Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fulfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

This mixture is classified as hazardous according to 1999/45/EC.

#### Practical experience

#### Observations relevant to classification

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

Very toxic to aquatic organisms.

CAS No	Chemical name	Method	Dose	[h]   [d]	Species	Source
7778-54-3	calcium hypochlorite					
	Acute fish toxicity	LC50 mg/l	0,049 - 0,16	96 h	Lepomis macrochirus	
	Acute algae toxicity	ErC50	2 mg/l	72 h	Algae	
	Acute crustacea toxicity	EC50	0,11 mg/l	48 h	Daphnia magna	

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

No data available

### 12.6. Other adverse effects

No data available

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals  
Classified as hazardous waste.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Chlorolime, 100 g

Print date: 14.04.2015

Product code: 9991232

Page 7 of 9

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals  
Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances  
Classified as hazardous waste.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number:** UN 1748  
**14.2. UN proper shipping name:** CALCIUM HYPOCHLORITE, DRY  
**14.3. Transport hazard class(es):** 5.1  
**14.4. Packing group:** III  
 Hazard label: 5.1  
 Classification code: O2  
 Special Provisions: 316  
 Limited quantity: 5 kg  
 Transport category: 3  
 Hazard No: 50  
 Tunnel restriction code: E

#### Other applicable information (land transport)

E1

#### Inland waterways transport (ADN)

**14.1. UN number:** UN 1748  
**14.2. UN proper shipping name:** CALCIUM HYPOCHLORITE, DRY  
**14.3. Transport hazard class(es):** 5.1  
**14.4. Packing group:** III  
 Hazard label: 5.1  
 Classification code: O2  
 Special Provisions: 316  
 Limited quantity: 5 kg

#### Other applicable information (inland waterways transport)

E1

#### Marine transport (IMDG)

**14.1. UN number:** UN 1748  
**14.2. UN proper shipping name:** CALCIUM HYPOCHLORITE, DRY  
**14.3. Transport hazard class(es):** 5.1  
**14.4. Packing group:** III  
 Hazard label: 5.1  
 Special Provisions: 316

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Chlorolime, 100 g

Print date: 14.04.2015

Product code: 9991232

Page 8 of 9

Limited quantity: 5 kg  
EmS: F-H, S-Q

#### Other applicable information (marine transport)

E1

#### Air transport (ICAO)

**14.1. UN number:** UN 1748  
**14.2. UN proper shipping name:** CALCIUM HYPOCHLORITE, DRY  
**14.3. Transport hazard class(es):** 5.1  
**14.4. Packing group:** III  
Hazard label: 5.1  
Special Provisions: A136  
Limited quantity Passenger: 10 kg  
IATA-packing instructions - Passenger: 559  
IATA-max. quantity - Passenger: 25 kg  
IATA-packing instructions - Cargo: 563  
IATA-max. quantity - Cargo: 100 kg

#### Other applicable information (air transport)

E1

: Y546

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

##### Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

##### National regulatory information

Water contaminating class (D): 3 - highly water contaminating

### SECTION 16: Other information

#### Relevant R-phrases (Number and full text)

08 Contact with combustible material may cause fire.  
22 Harmful if swallowed.  
31 Contact with acids liberates toxic gas.  
34 Causes burns.  
36 Irritating to eyes.  
37/38 Irritating to respiratory system and skin.  
41 Risk of serious damage to eyes.  
50 Very toxic to aquatic organisms.

#### Relevant H- and EUH-phrases (Number and full text)

H272 May intensify fire; oxidiser.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Chlorolime, 100 g

Print date: 14.04.2015

Product code: 9991232

Page 9 of 9

EUH031

Contact with acids liberates toxic gas.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*