

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Copper, foil approx. 0,1 mm thick, 25 g**

Print date: 14.04.2015

Product code: 9991469

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Copper, foil approx. 0,1 mm thick, 25 g

CAS No: 7440-50-8

EC No: 231-159-6

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Laboratory chemicals

**1.3. Details of the supplier of the safety data sheet****Seller**

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1

Place: D-66459 Kirkel

Internet: www.conatex.com

**Supplier**

Company name: Carbolution Chemicals GmbH

Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

**1.4. Emergency telephone number:** +49 (0)681 302-71232**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC**

R phrases:

May cause long-term adverse effects in the aquatic environment.

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 4

Hazard Statements:

May cause long lasting harmful effects to aquatic life.

**2.2. Label elements****Hazard statements**

H413 May cause long lasting harmful effects to aquatic life.

**Precautionary statements**

P273 Avoid release to the environment.

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Sum formula: Cu

Molecular weight: 63,55

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper, foil approx. 0,1 mm thick, 25 g

Print date: 14.04.2015

Product code: 9991469

Page 2 of 7

#### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-159-6	Copper	100 %
7440-50-8	R53	
	Aquatic Chronic 4; H413	

Full text of R-, H- and EUH-phrases: see section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

###### After inhalation

Provide fresh air.

###### After contact with skin

Wash with plenty of water. Change contaminated clothing.

###### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

###### After ingestion

Rinse mouth immediately and drink plenty of water.

##### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

##### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

###### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Avoid generation of dust. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation. Remove persons to safety. Do not breathe dust.

##### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

##### 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### SECTION 7: Handling and storage

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper, foil approx. 0,1 mm thick, 25 g

Print date: 14.04.2015

Product code: 9991469

Page 3 of 7

#### 7.1. Precautions for safe handling

##### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

##### Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7440-50-8	Copper, fume	-	0.2		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### 8.2. Exposure controls

##### Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

##### Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

##### Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

##### Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	light brown
Odour:	No data available

##### Test method

pH-Value: No data available

##### Changes in the physical state

Melting point:	1083 °C
Initial boiling point and boiling range:	2567 °C
Sublimation point:	No data available
Softening point:	No data available
Flash point:	No data available

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Copper, foil approx. 0,1 mm thick, 25 g**

Print date: 14.04.2015

Product code: 9991469

Page 4 of 7

**Flammability**

Solid: No data available

Gas: No data available

Lower explosion limits: No data available

Upper explosion limits: No data available

Ignition temperature: No data available

**Auto-ignition temperature**

Solid: No data available

Gas: No data available

Vapour pressure: No data available

Vapour pressure: No data available

Density: No data available

Water solubility: No data available

Partition coefficient: No data available

Viscosity / dynamic: No data available

Viscosity / kinematic: No data available

Flow time: No data available

Vapour density: No data available

Evaporation rate: No data available

Solvent separation test: No data available

Solvent content: No data available

**9.2. Other information**

Solid content: No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

Oxidizing agents, strong.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

Toxicological data are not available.

**Acute toxicity**

Toxicological data are not available.

**Irritation and corrosivity**

No data available

**Sensitising effects**

No data available

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Copper, foil approx. 0,1 mm thick, 25 g**

Print date: 14.04.2015

Product code: 9991469

Page 5 of 7

**Severe effects after repeated or prolonged exposure**

No data available

**Carcinogenic/mutagenic/toxic effects for reproduction**

Due to missing data no statement can be made whether the substance fulfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

**Practical experience****Observations relevant to classification**

No data available

**SECTION 12: Ecological information****12.1. Toxicity**

May cause long-term adverse effects in the aquatic environment.

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

No data available

**12.6. Other adverse effects**

No data available

**Further information**

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**Waste disposal number of waste from residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals  
Classified as hazardous waste.

**Waste disposal number of used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals  
Classified as hazardous waste.

**Waste disposal number of contaminated packaging**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper, foil approx. 0,1 mm thick, 25 g

Print date: 14.04.2015

Product code: 9991469

Page 6 of 7

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances  
Classified as hazardous waste.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number:** UN 3077  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9  
 Classification code: M7  
 Special Provisions: 274 335 601  
 Limited quantity: 5 kg  
 Transport category: 3  
 Hazard No: 90  
 Tunnel restriction code: E

#### Other applicable information (land transport)

E1

#### Inland waterways transport (ADN)

**14.1. UN number:** UN 3077  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9  
 Classification code: M7  
 Special Provisions: 274 335 601  
 Limited quantity: 5 kg

#### Other applicable information (inland waterways transport)

E1

#### Marine transport (IMDG)

**14.1. UN number:** UN 3077  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9  
 Special Provisions: 274, 335, 966, 967  
 Limited quantity: 5 kg  
 EmS: F-A, S-F

#### Other applicable information (marine transport)

E1

#### Air transport (ICAO)

**14.1. UN number:** UN 3077

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Copper, foil approx. 0,1 mm thick, 25 g**

Print date: 14.04.2015

Product code: 9991469

Page 7 of 7

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.**14.3. Transport hazard class(es):** 9**14.4. Packing group:** III

Hazard label: 9

Special Provisions: A97 A158 A179

Limited quantity Passenger: 30 kg G

IATA-packing instructions - Passenger: 956

IATA-max. quantity - Passenger: 400 kg

IATA-packing instructions - Cargo: 956

IATA-max. quantity - Cargo: 400 kg

**Other applicable information (air transport)**

E1

: Y956

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: yes

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information****Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**National regulatory information**

Water contaminating class (D): 3 - highly water contaminating

**SECTION 16: Other information****Relevant R-phrases (Number and full text)**

53 May cause long-term adverse effects in the aquatic environment.

**Relevant H- and EUH-phrases (Number and full text)**

H413 May cause long lasting harmful effects to aquatic life.