



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g

Print date: 15.04.2015 Product code: 9992046 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CAS No:

Nickel(II) chloride hexahydrate, 50 g 7791-20-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone +49 (0)681 302-71232

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: C1 - Carc. Cat. 1, M3 - Muta. Cat. 3, R2 - Repr. Cat. 2, T - Toxic, Xi - Irritant, N -

Dangerous for the environment

R phrases:

May cause cancer by inhalation.

May cause harm to the unborn child.

Toxic by inhalation and if swallowed.

Irritating to skin.

May cause sensitisation by inhalation and skin contact.

Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Very toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

Possible risks of irreversible effects.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:
Carcinogenicity: Carc. 1A
Germ cell mutagenicity: Muta. 2
Reproductive toxicity: Repr. 1B
Acute toxicity: Acute Tox. 3
Acute toxicity: Acute Tox. 3
Skin corrosion/irritation: Skin Irrit. 2

Respiratory/skin sensitization: Resp. Sens. 1 Respiratory/skin sensitization: Skin Sens. 1



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g

Product code: 9992046 Print date: 15.04.2015 Page 2 of 9

Specific target organ toxicity - repeated exposure: STOT RE 1

Hazardous to the aquatic environment: Aquatic Acute 1 (M-Factor (self-classification) = 1) Hazardous to the aquatic environment: Aquatic Chronic 1 (M-Factor (self-classification) = 1)

Hazard Statements: Toxic if inhaled. Toxic if swallowed. Causes skin irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Causes damage to organs through prolonged or repeated exposure.

May cause cancer by inhalation. May damage the unborn child. Suspected of causing genetic defects.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazardous components which must be listed on the label

Nickel(II) chloride hexahvdrate

Signal word: Danger

Pictograms: GHS06-GHS08-GHS09







Hazard statements

H301+H331 Toxic if swallowed or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects. H350i May cause cancer by inhalation. H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

Do not breathe dust/fume/gas/mist/vapours/spray. P260

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection. P280

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

IF exposed or concerned: Get medical advice/attention. P308+P313

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P501 Dispose of contents/container to Waste management.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: 237,69 CI2Ni · 6H2O Molecular weight:



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g

Print date: 15.04.2015 Product code: 9992046 Page 3 of 9

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
	Nickel(II) chloride hexahydrate	100 %
7791-20-0	Carc. Cat. 1, Muta. Cat. 3, Repr. Cat. 2, T - Toxic, Xi - Irritant, N - Dangerous for the environment R49-61-23/25-38-42/43-48/23-50-53-68	
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 3, Acute Tox. 3, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H301 H331 H315 H334 H317 H372 H400 H410	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Move victim out of danger zone.

After inhalation

Provide fresh air. In case of breathing difficulties administer oxygen. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Medical treatment necessary.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Call a physician immediately.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g

Print date: 15.04.2015 Product code: 9992046 Page 4 of 9

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid Colour: green

Odour: No data available

Test method

pH-Value: No data available

Changes in the physical state

Initial boiling point and boiling range:

Sublimation point:

No data available

No data available



according to Regulation (EC) No 1907/2006

	according to Regulation (EC) No 1907/2000	
	Nickel(II) chloride hexahydrate, 50 g	
Print date: 15.04.2015	Product code: 9992046	Page 5 of 9
Softening point:	No data available	
Flash point:	No data available	
Flammability Solid:	No data available	
Gas:	No data available	
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Ignition temperature:	No data available	
Auto-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	No data available	
Water solubility:	No data available	
Partition coefficient:	No data available	
Viscosity / dynamic:	No data available	
Viscosity / kinematic:	No data available	
Flow time:	No data available	
Vapour density:	No data available	
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
9.2. Other information		
Solid content:	No data available	

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxic. Acute toxicity, inhalant. Acute toxicity, dermal.



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g

Print date: 15.04.2015 Product code: 9992046 Page 6 of 9

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
7791-20-0	Nickel(II) chloride hexahydrate				
	oral	ATE	100 mg/kg		
	inhalative vapour	ATE	3 mg/l		
	inhalative aerosol	ATE	0,5 mg/l		

Irritation and corrosivity

After skin contact: Irritant.

Sensitising effects

May cause sensitization by inhalation and skin contact.

Severe effects after repeated or prolonged exposure

Danger of serious damage to health by prolonged exposure.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. May cause heritable genetic damage.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g

Print date: 15.04.2015 Product code: 9992046 Page 7 of 9

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN3288

14.2. UN proper shipping name: TOXIC SOLID, INORGANIC, N.O.S.

14.3. Transport hazard class(es): 6.1 Ш 14.4. Packing group: Hazard label: 6.1 Classification code: T5 Special Provisions: 274 Limited quantity: 5 kg Transport category: 2 Hazard No: 60 Tunnel restriction code: Ε

Other applicable information (land transport)

E1

Inland waterways transport (ADN)

14.1. UN number: UN3288

14.2. UN proper shipping name: TOXIC SOLID, INORGANIC, N.O.S.

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Classification code:T5Special Provisions:274 802Limited quantity:5 kg

Other applicable information (inland waterways transport)

F1

Marine transport (IMDG)

14.1. UN number: UN3288

14.2. UN proper shipping name: TOXIC SOLID, INORGANIC, N.O.S.

14.3. Transport hazard class(es): 6.1



according to Regulation (EC) No 1907/2006

Nickel(II) chloride hexahydrate, 50 g	Nickel(II) chloride	hexah	vdrate.	50 c	ı
---------------------------------------	-----------	------------	-------	---------	-------------	---

Print date: 15.04.2015 Product code: 9992046 Page 8 of 9

14.4. Packing group:IIIHazard label:6.1Special Provisions:223, 274Limited quantity:5 kgEmS:F-A, S-A

Other applicable information (marine transport)

E1

Air transport (ICAO)

14.1. UN number: UN3288

14.2. UN proper shipping name: TOXIC SOLID, INORGANIC, N.O.S.

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1Special Provisions:A3 A5Limited quantity Passenger:10 kg

IATA-packing instructions - Passenger: 670
IATA-max. quantity - Passenger: 100 kg
IATA-packing instructions - Cargo: 677
IATA-max. quantity - Cargo: 200 kg

Other applicable information (air transport)

E1: Y645

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

23/25 Toxic by inhalation and if swallowed.

38 Irritating to skin.

42/43 May cause sensitisation by inhalation and skin contact.

Toxic: danger of serious damage to health by prolonged exposure through inhalation.

49 May cause cancer by inhalation.50 Very toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

May cause harm to the unborn child.
Rossible risks of irreversible effects.

Relevant H- and EUH-phrases (Number and full text)

H301 Toxic if swallowed.

H301+H331 Toxic if swallowed or if inhaled.

H315 Causes skin irritation.



according to Regulation (EC) No 1907/2006

	Nickel(II) chloride hexahydrate, 50 g	
Print date: 15.04.2015	Product code: 9992046	Page 9 of 9
H317	May cause an allergic skin reaction.	
H331	Toxic if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H341	Suspected of causing genetic defects.	
H350i	May cause cancer by inhalation.	
H360D	May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	