

according to Regulation (EC) No 1907/2006

# Nickel(II) nitrate hexahydrate, 100 g

Print date: 15.04.2015 Product code: 9992047 Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

CAS No:

Nickel(II) nitrate hexahydrate, 100 g 13478-00-7 028-012-00-1

Index No: 028-012-00-1 EC No: 236-068-5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

#### 1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

**1.4. Emergency telephone** +49 (0)681 302-71232

number:

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

# Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: O - Oxidizing, C1 - Carc. Cat. 1, M3 - Muta. Cat. 3, R2 - Repr. Cat. 2, T - Toxic,

Xn - Harmful, Xi - Irritant, N - Dangerous for the environment

R phrases:

Contact with combustible material may cause fire.

May cause cancer by inhalation.

Possible risks of irreversible effects.

May cause harm to the unborn child.

Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Harmful by inhalation and if swallowed.

Irritating to skin.

Risk of serious damage to eyes.

May cause sensitisation by inhalation and skin contact.

Very toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:
Oxidising solid: Ox. Sol. 2
Carcinogenicity: Carc. 1A
Germ cell mutagenicity: Muta. 2



according to Regulation (EC) No 1907/2006

# Nickel(II) nitrate hexahydrate, 100 g

Product code: 9992047 Print date: 15.04.2015 Page 2 of 9

Reproductive toxicity: Repr. 1B

Specific target organ toxicity - repeated exposure: STOT RE 1

Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory/skin sensitization: Resp. Sens. 1 Respiratory/skin sensitization: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Acute 1 (M-Factor = 1) Hazardous to the aquatic environment: Aquatic Chronic 1 (M-Factor = 1)

Hazard Statements: May intensify fire: oxidiser. May cause cancer by inhalation. Suspected of causing genetic defects.

May damage the unborn child.

Causes damage to organs through prolonged or repeated exposure.

Harmful if inhaled. Harmful if swallowed. Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Hazardous components which must be listed on the label

Nickel dinitrate

Signal word: Danger

Pictograms: GHS05-GHS07-GHS08-GHS09









#### **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. Causes serious eye damage. H318

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

Suspected of causing genetic defects. H341 May cause cancer by inhalation. H350i May damage the unborn child. H360D

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

Obtain special instructions before use. P201 P273 Avoid release to the environment.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P342+P311

Immediately call a POISON CENTER/doctor. P310

P308+P313 IF exposed or concerned: Get medical advice/attention.

### **SECTION 3: Composition/information on ingredients**



according to Regulation (EC) No 1907/2006

# Nickel(II) nitrate hexahydrate, 100 g

Print date: 15.04.2015 Product code: 9992047 Page 3 of 9

#### 3.1. Substances

Sum formula: N2NiO6 · 6H2O

Molecular weight: 290,79

#### **Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
236-068-5	Nickel dinitrate	100 %
13138-45-9	Carc. Cat. 1, Muta. Cat. 3, Repr. Cat. 2, O - Oxidizing, T - Toxic, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R8-49-68-61-48/23-20/22-38-41-42/43-50-53	
028-012-00-1	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, STOT RE 1, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D *** H372 ** H332 H302 H315 H318 H334 H317 H400 H410	

Full text of R-, H- and EUH-phrases: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

## After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



according to Regulation (EC) No 1907/2006

# Nickel(II) nitrate hexahydrate, 100 g

Print date: 15.04.2015 Product code: 9992047 Page 4 of 9

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid generation of dust. Do not breathe dust.

# Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust

# Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

#### Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

# Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).



according to Regulation (EC) No 1907/2006

# Nickel(II) nitrate hexahydrate, 100 g

Print date: 15.04.2015 Product code: 9992047 Page 5 of 9

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: dark green
Odour: No data available

Test method

pH-Value: No data available

Changes in the physical state

Melting point: 56 °C Initial boiling point and boiling range: No data available Sublimation point: No data available Softening point: No data available Flash point: No data available

Flammability

Solid: No data available Gas: No data available Lower explosion limits: No data available Upper explosion limits: No data available Ignition temperature: No data available

**Auto-ignition temperature** 

No data available Solid: Gas: No data available Vapour pressure: No data available Vapour pressure: No data available Density (at 25 °C): 2.05 a/cm3 Water solubility: No data available Partition coefficient: No data available Viscosity / dynamic: No data available Viscosity / kinematic: No data available Flow time: No data available No data available Vapour density: Evaporation rate: No data available No data available Solvent separation test: No data available Solvent content:

9.2. Other information

Solid content: No data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available

# 10.3. Possibility of hazardous reactions

No data available



according to Regulation (EC) No 1907/2006

# Nickel(II) nitrate hexahydrate, 100 g

Print date: 15.04.2015 Product code: 9992047 Page 6 of 9

#### 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

Oxidizing agents, strong.

#### 10.6. Hazardous decomposition products

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

Toxicological data are not available.

#### **Acute toxicity**

Toxic. Acute inhalation toxicity. Acute oral toxicity.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
13138-45-9	Nickel dinitrate				
	oral	ATE	500 mg/kg		
	inhalative vapour	ATE	11 mg/l		
	inhalative aerosol	ATE	1,5 mg/l		

### Irritation and corrosivity

Causes eye irritation. Risk of serious damage to eyes. Causes skin irritation.

# Sensitising effects

May cause sensitization by inhalation and skin contact.

#### Severe effects after repeated or prolonged exposure

Danger of serious damage to health by prolonged exposure.

# Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. May cause heritable genetic damage.

### Specific effects in experiment on an animal

No data available

#### Additional information on tests

This mixture is classified as hazardous according to 1999/45/EC. Special hazards arising from the substance or mixture!

### **Practical experience**

#### Observations relevant to classification

No data available

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No data available

# 12.4. Mobility in soil

No data available



according to Regulation (EC) No 1907/2006

# Nickel(II) nitrate hexahydrate, 100 g

Print date: 15.04.2015 Product code: 9992047 Page 7 of 9

#### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

No data available

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

# Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

# Land transport (ADR/RID)

**14.1. UN number:** UN 2725

14.2. UN proper shipping name: NICKEL NITRATE

14.3. Transport hazard class(es): 5.1
14.4. Packing group:

Hazard label: 5.1
Classification code: O2
Limited quantity: 5 kg

Transport category: 3
Hazard No: 50
Tunnel restriction code: E

#### Other applicable information (land transport)

E1

# Inland waterways transport (ADN)

**14.1. UN number:** UN 2725

14.2. UN proper shipping name: NICKEL NITRATE

f 9



Print

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

	Nickel(II) nitrate hexahydrate, 100 g	
t date: 15.04.2015	Product code: 9992047	Page 8 of

14.3. Transport hazard class(es):5.114.4. Packing group:IIIHazard label:5.1Classification code:O2Limited quantity:5 kg

Other applicable information (inland waterways transport)

E1

Marine transport (IMDG)

**14.1. UN number:** UN 2725

14.2. UN proper shipping name: NICKEL NITRATE

14.3. Transport hazard class(es):5.114.4. Packing group:IIIHazard label:5.1Special Provisions:-Limited quantity:5 kgEmS:F-A, S-Q

Other applicable information (marine transport)

F1

Air transport (ICAO)

**14.1. UN number:** UN 2725

14.2. UN proper shipping name: NICKEL NITRATE

14.3. Transport hazard class(es):5.114.4. Packing group:IIIHazard label:5.1Limited quantity Passenger:10 kg

IATA-packing instructions - Passenger: 559
IATA-max. quantity - Passenger: 25 kg
IATA-packing instructions - Cargo: 563
IATA-max. quantity - Cargo: 100 kg

Other applicable information (air transport)

E1 : Y546

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU regulatory information**

**Additional information** 

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**National regulatory information** 

Water contaminating class (D): 3 - highly water contaminating

# **SECTION 16: Other information**

### Relevant R-phrases (Number and full text)

08 Contact with combustible material may cause fire.



according to Regulation (EC) No 1907/2006

Print date: 15.04.2015 Product code: 9992047 Page 9 of 9  20/22 Harmful by inhalation and if swallowed.  38 Irritating to skin.  41 Risk of serious damage to eyes.  42/43 May cause sensitisation by inhalation and skin contact.  48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.  49 May cause cancer by inhalation.  50 Very toxic to aquatic organisms.
20/22 Harmful by inhalation and if swallowed.  38 Irritating to skin.  41 Risk of serious damage to eyes.  42/43 May cause sensitisation by inhalation and skin contact.  48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.  49 May cause cancer by inhalation.
<ul> <li>Irritating to skin.</li> <li>Risk of serious damage to eyes.</li> <li>May cause sensitisation by inhalation and skin contact.</li> <li>Toxic: danger of serious damage to health by prolonged exposure through inhalation.</li> <li>May cause cancer by inhalation.</li> </ul>
41 Risk of serious damage to eyes. 42/43 May cause sensitisation by inhalation and skin contact. 48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation. 49 May cause cancer by inhalation.
42/43 May cause sensitisation by inhalation and skin contact.  48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.  May cause cancer by inhalation.
48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.  May cause cancer by inhalation.
49 May cause cancer by inhalation.
Very toxic to aquatic organisms.
May cause long-term adverse effects in the aquatic environment.
61 May cause harm to the unborn child.
Possible risks of irreversible effects.
Relevant H- and EUH-phrases (Number and full text)
H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H302+H332 Harmful if swallowed or if inhaled.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.
H360D May damage the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.