

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Copper oxide, wire form, 100 g**

Print date: 14.04.2015

Product code: 9991540

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Copper oxide, wire form, 100 g

CAS No: 1317-38-0

EC No: 215-269-1

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Laboratory chemicals

**1.3. Details of the supplier of the safety data sheet****Seller**

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1

Place: D-66459 Kirkel

Internet: www.conatex.com

**Supplier**

Company name: Carbolution Chemicals GmbH

Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

**1.4. Emergency telephone number:** +49 (0)681 302-71232**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC**

Indications of danger: Xn - Harmful, N - Dangerous for the environment

R phrases:

Harmful if swallowed.

Very toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard categories:

Acute toxicity: Acute Tox. 4

Hazardous to the aquatic environment: Aquatic Acute 1 (M-Factor (self-classification) = 1)

Hazardous to the aquatic environment: Aquatic Chronic 1 (M-Factor (self-classification) = 1)

Hazard Statements:

Harmful if swallowed.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

**2.2. Label elements****Hazardous components which must be listed on the label**

Copper(II) oxide

Signal word: Warning

Pictograms: GHS07-GHS09

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper oxide, wire form, 100 g

Print date: 14.04.2015

Product code: 9991540

Page 2 of 8



#### Hazard statements

H302 Harmful if swallowed.  
H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

P273 Avoid release to the environment.  
P501 Dispose of contents/container to Waste management.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Sum formula: CuO  
Molecular weight: 79,55

#### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
215-269-1	Copper(II) oxide	100 %
1317-38-0	Xn - Harmful, N - Dangerous for the environment R22-50-53	
	Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H302 H400 H410	

Full text of R-, H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### After inhalation

Provide fresh air.

##### After contact with skin

Wash with plenty of water. Change contaminated clothing.

##### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

##### After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper oxide, wire form, 100 g

Print date: 14.04.2015

Product code: 9991540

Page 3 of 8

#### **5.2. Special hazards arising from the substance or mixture**

The product itself does not burn.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

##### **Advice on protection against fire and explosion**

Only use the material in places where open light, fire and other flammable sources can be kept away.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed.

### SECTION 8: Exposure controls/personal protection

#### **8.1. Control parameters**

#### **8.2. Exposure controls**

##### **Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

##### **Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

##### **Eye/face protection**

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

##### **Hand protection**

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

##### **Skin protection**

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

##### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper oxide, wire form, 100 g

Print date: 14.04.2015

Product code: 9991540

Page 4 of 8

be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	black
Odour:	No data available

#### Test method

pH-Value: No data available

#### Changes in the physical state

Melting point:	1336 °C
Initial boiling point and boiling range:	No data available
Sublimation point:	No data available
Softening point:	No data available
Flash point:	No data available

#### Flammability

Solid:	No data available
Gas:	No data available

Lower explosion limits:	No data available
Upper explosion limits:	No data available
Ignition temperature:	No data available

#### Auto-ignition temperature

Solid:	No data available
Gas:	No data available

Vapour pressure:	No data available
Vapour pressure:	No data available

Density: 6,32 g/cm<sup>3</sup>

Water solubility: No data available

Partition coefficient: No data available

Viscosity / dynamic: No data available

Viscosity / kinematic: No data available

Flow time: No data available

Vapour density: No data available

Evaporation rate: No data available

Solvent separation test: No data available

Solvent content: No data available

### 9.2. Other information

Solid content: No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.3. Possibility of hazardous reactions

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper oxide, wire form, 100 g

Print date: 14.04.2015

Product code: 9991540

Page 5 of 8

No data available

#### **10.4. Conditions to avoid**

No data available

#### **10.5. Incompatible materials**

Oxidizing agents, strong.

### SECTION 11: Toxicological information

#### **11.1. Information on toxicological effects**

##### **Toxicokinetics, metabolism and distribution**

Toxicological data are not available.

##### **Acute toxicity**

Acute toxicity, dermal.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
1317-38-0	Copper(II) oxide				
	oral	ATE	500 mg/kg		

##### **Irritation and corrosivity**

No data available

##### **Sensitising effects**

No data available

##### **Severe effects after repeated or prolonged exposure**

No data available

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Due to missing data no statement can be made whether the substance fulfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

##### **Specific effects in experiment on an animal**

No data available

##### **Additional information on tests**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

##### **Practical experience**

##### **Observations relevant to classification**

No data available

### SECTION 12: Ecological information

#### **12.1. Toxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### **12.2. Persistence and degradability**

No data available

#### **12.3. Bioaccumulative potential**

No data available

#### **12.4. Mobility in soil**

No data available

#### **12.5. Results of PBT and vPvB assessment**

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper oxide, wire form, 100 g

Print date: 14.04.2015

Product code: 9991540

Page 6 of 8

#### 12.6. Other adverse effects

No data available

#### Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals  
Classified as hazardous waste.

##### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals  
Classified as hazardous waste.

##### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances  
Classified as hazardous waste.

##### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b>14.1. UN number:</b>	UN 3077
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M7
Special Provisions:	274 335 601
Limited quantity:	5 kg
Transport category:	3
Hazard No:	90
Tunnel restriction code:	E

#### Other applicable information (land transport)

E1

#### Inland waterways transport (ADN)

<b>14.1. UN number:</b>	UN 3077
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	9

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper oxide, wire form, 100 g

Print date: 14.04.2015

Product code: 9991540

Page 7 of 8

**14.4. Packing group:** III  
 Hazard label: 9  
 Classification code: M7  
 Special Provisions: 274 335 601  
 Limited quantity: 5 kg

**Other applicable information (inland waterways transport)**

E1

**Marine transport (IMDG)**

**14.1. UN number:** UN 3077  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9  
 Special Provisions: 274, 335, 966, 967  
 Limited quantity: 5 kg  
 EmS: F-A, S-F

**Other applicable information (marine transport)**

E1

**Air transport (ICAO)**

**14.1. UN number:** UN 3077  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9  
 Special Provisions: A97 A158 A179  
 Limited quantity Passenger: 30 kg G  
 IATA-packing instructions - Passenger: 956  
 IATA-max. quantity - Passenger: 400 kg  
 IATA-packing instructions - Cargo: 956  
 IATA-max. quantity - Cargo: 400 kg

**Other applicable information (air transport)**

E1

: Y956

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: yes

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU regulatory information**

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**National regulatory information**

Water contaminating class (D): 3 - highly water contaminating

## SECTION 16: Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Copper oxide, wire form, 100 g

Print date: 14.04.2015

Product code: 9991540

Page 8 of 8

#### Relevant R-phrases (Number and full text)

- 22 Harmful if swallowed.
- 50 Very toxic to aquatic organisms.
- 53 May cause long-term adverse effects in the aquatic environment.

#### Relevant H- and EUH-phrases (Number and full text)

- H302 Harmful if swallowed.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.